

# MATERIAL SAFETY DATA SHEET



Date Issued: 11/13/2009  
 MSDS No: L-CB-330  
 Date Revised: 11/13/2009  
 Revision No: 4

## CONBOND C330 Water Based Contact Adhesive

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** CONBOND C330 Water Based Contact Adhesive  
**ALTERNATE TRADE NAME(S):** Item #C330-05C, C330-05G, C330-55C, C330-55G

#### MANUFACTURER

ITW TACC  
 56 Air Station Industrial Park  
 Rockland MA 02370

**Product Stewardship:** (781) 878-7015

**Service Number:** (800) 503-6991

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC (US Transportation): (800) 424-9300

**COMMENTS:** CONBOND is a registered trademark of Illinois Tool Works, Inc.

### 2. HAZARDS IDENTIFICATION

#### HAZARD DESIGNATION

"Xn" - Harmful

#### EMERGENCY OVERVIEW

**IMMEDIATE CONCERNS:** CAUTION! May cause eye, skin, nose and throat irritation.

#### POTENTIAL HEALTH EFFECTS

**EYES:** Mildly irritating to the eyes.

**SKIN:** Not likely to be absorbed in toxic amounts. Prolonged exposure may cause skin irritation. Avoid skin contact as much as possible.

**SKIN ABSORPTION:** None Expected.

**INGESTION:** This material may be harmful or fatal if swallowed in large quantities. Small amounts are not expected to produce adverse health effects.

**INHALATION:** Slight irritation to nose and throat with prolonged or repeated exposure.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** Slight irritation.

**SKIN:** Slight skin irritation.

**SKIN ABSORPTION:** None Expected.

**INGESTION:** None known, not likely route of entry.

**INHALATION:** Materials are low in volatility therefore not likely to pose a problem.

**CHRONIC EFFECTS:** None Expected.

**CARCINOGENICITY:** None known.

**MUTAGENICITY:** None known.

#### REPRODUCTIVE TOXICITY

**REPRODUCTIVE EFFECTS:** None known.

# MATERIAL SAFETY DATA SHEET



Date Issued: 11/13/2009  
 MSDS No: L-CB-330  
 Date Revised: 11/13/2009  
 Revision No: 4

## CONBOND C330 Water Based Contact Adhesive

**TERATOGENIC EFFECTS:** None known.

**ROUTES OF ENTRY:** Eye and skin contact. Inhalation and ingestion are unlikely routes of entry.

**TARGET ORGAN STATEMENT:** None known.

**IRRITANCY:** Slight eye and skin irritation.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | Wt. % | CAS         | EINECS    | Classification |
|---------------|-------|-------------|-----------|----------------|
| VM&P Naptha   | 1 - 5 | 008032-32-4 | 232-453-7 | F, Xn; 11-65   |

### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of tempered water (at least 15-20 minutes) lifting upper and lower eye lids occasionally. Get immediate medical attention.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** Small amounts are not expected to produce adverse health effects. Larger amounts should be recovered by aspiration. Get medical attention.

**INHALATION:** No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

### 5. FIRE FIGHTING MEASURES

**FLAMMABLE LIMITS:** Not Applicable

**FLAMMABLE CLASS:** Class IIIB

**GENERAL HAZARD:** Combustible Liquid.

**EXTINGUISHING MEDIA:** Water spray, carbon dioxide, dry chemical or foam.

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide, Carbon Dioxide

**EXPLOSION HAZARDS:** Decomposition products may cause a health hazard.

**FIRE FIGHTING PROCEDURES:** As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear. After water evaporates, remaining material will burn.

**SENSITIVE TO STATIC DISCHARGE:** Not Applicable

**SENSITIVITY TO IMPACT:** None known.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Fumes, smoke, carbon monoxide and carbon dioxide may form when heated to decomposition.

# MATERIAL SAFETY DATA SHEET



Date Issued: 11/13/2009  
MSDS No: L-CB-330  
Date Revised: 11/13/2009  
Revision No: 4

## CONBOND C330 Water Based Contact Adhesive

### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Dike area to contain spill. Take precautions as necessary to prevent contamination of ground and surface waters. Recover spilled material on absorbent, such as sawdust or vermiculite, and sweep into closed containers for disposal. Do not flush to sewer. If area of spill is porous, remove as much contaminated earth and gravel, etc. as necessary and place in closed containers for disposal. Only those persons who are adequately trained, authorized, and wearing the appropriate personal protective equipment (PPE) should participate in spill response and clean-up.

**LARGE SPILL:** Keep spectators away. Only those persons who are adequately trained, authorized and wearing the required personal protective equipment (PPE) should participate in spill response and clean-up. Know and prepare for spill response before using or handling this product. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquids to covered and labeled containers for disposal. Use appropriate PPE. Place absorbent diking materials in covered containers for disposal. Prevent contamination of sewers, streams, and groundwater with spilled material or used absorbent.

### 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** For professional or industrial use only. Follow label instructions. Keep out of the reach of children. Not for consumption. No smoking. Do not breathe vapors. Avoid contact with body. Empty containers must not be washed and re-used for any purpose. Contact lens wearers must wear protective eye wear around chemical vapors and liquid. Wash hands thoroughly after handling. To prevent build-up of vapors, use adequate natural and/or mechanical ventilation (e.g. open all windows and doors to achieve cross ventilation).

**HANDLING:** Use with sufficient ventilation to keep employee exposure below recommended limits. Provide adequate ventilation for storage, handling and use, especially for enclosed or low spaces. Avoid contact of liquid with eyes and prolonged skin exposure. Follow all MSDS/label precautions even after container is emptied because they may retain product residues.

**STORAGE:** Keep container closed when not in use. Store in a dry well ventilated area, out of the sun and away from ignition sources. Do not remove or deface label. Prevent water or moist air from entering container.

**STORAGE TEMPERATURE:** 15.5°C (60°F) Minimum to 35°C (95°F) Maximum

**SHELF LIFE:** 1 year from manufacture date

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# MATERIAL SAFETY DATA SHEET



Date Issued: 11/13/2009  
 MSDS No: L-CB-330  
 Date Revised: 11/13/2009  
 Revision No: 4

## CONBOND C330 Water Based Contact Adhesive

### EXPOSURE GUIDELINES

| OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200) |      |                 |                   |           |                        |
|---|------|-----------------|-------------------|-----------|------------------------|
|   |      | EXPOSURE LIMITS |                   |           |                        |
|   |      | OSHA PEL        |                   | ACGIH TLV |                        |
| Chemical Name                               |      | ppm             | mg/m <sup>3</sup> | ppm       | mg/m <sup>3</sup>      |
| VM&P Naptha                                 | TWA  | NL [1]          | NL [1]            | 300 ppm   | 1370 mg/m <sup>3</sup> |
|   | STEL | NL [1]          | NL [1]            | NL [1]    | NL [1]                 |
| <b>Footnotes:</b>                           |      |                 |                   |           |                        |
| 1. NL = Not Listed                          |      |                 |                   |           |                        |

**ENGINEERING CONTROLS:** Natural ventilation should be adequate under normal conditions.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear safety glasses with side shields. A face shield may be necessary if spraying the product.

**SKIN:** Wear impervious gloves, if needed, to prevent repeated or prolonged skin contact.

**RESPIRATORY:** No respiratory protection required under normal conditions.

**WORK HYGIENIC PRACTICES:** Wash hands thoroughly after use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Latex

**COLOR:** Clear or Green

**PERCENT VOLATILE:** 45.2

**Notes:** by weight

**BOILING POINT:** >= 100°C (212°F)

**SOLUBILITY IN WATER:** Soluble

**EVAPORATION RATE:** < 1.0 (n-Butyl Acetate=1)

**DENSITY:** 9.05 lbs/gal

**SPECIFIC GRAVITY:** 1.090

**(VOC):** 43.100 gr/L EPA Method 24 VOC

**Notes:** Photochemically Reactive Only VOC: 23.0 gr/L

**COMMENTS:** 0 lb VHAP/lb Solid  
 0% by weight HAP

# MATERIAL SAFETY DATA SHEET



Date Issued: 11/13/2009  
 MSDS No: L-CB-330  
 Date Revised: 11/13/2009  
 Revision No: 4

## CONBOND C330 Water Based Contact Adhesive

### 10. STABILITY AND REACTIVITY

**STABLE:** Yes

**HAZARDOUS POLYMERIZATION:** No

**STABILITY:** Stable.

**POLYMERIZATION:** Product will not undergo polymerization.

**CONDITIONS TO AVOID:** None known.

**POSSIBILITY OF HAZARDOUS REACTIONS:** None Expected.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon monoxide and carbon dioxide may form when heated to decomposition.

**INCOMPATIBLE MATERIALS:** Strong acids or alkaline materials.

### 11. TOXICOLOGICAL INFORMATION

#### ACUTE

| Chemical Name | ORAL LD <sub>50</sub> (rat) | DERMAL LD <sub>50</sub> (rabbit) | INHALATION LC <sub>50</sub> (rat) |
|---------------|-----------------------------|----------------------------------|-----------------------------------|
| VM&P Naptha   | No data                     | No data                          | No data                           |

#### CARCINOGENICITY

**IARC:** Not Applicable

**NTP:** Not Applicable

**OSHA:** Not Applicable

**Notes:** Not Applicable

**IRRITATION:** Slight eyes and skin irritation.

**CORROSIVITY:** Not Applicable

**SENSITIZATION:** Not Applicable

**NEUROTOXICITY:** Not Applicable

**GENETIC EFFECTS:** Not Applicable

**REPRODUCTIVE EFFECTS:** Not Applicable

**TERATOGENIC EFFECTS:** Not Applicable

**MUTAGENICITY:** Not Applicable

**SYNERGISTIC MATERIALS:** Not Applicable

### 12. ECOLOGICAL INFORMATION

# MATERIAL SAFETY DATA SHEET



Date Issued: 11/13/2009  
MSDS No: L-CB-330  
Date Revised: 11/13/2009  
Revision No: 4

## CONBOND C330 Water Based Contact Adhesive

**ENVIRONMENTAL DATA:** This product contains components that will normally float on water. These components may be harmful to aquatic organisms and may cause long term adverse effects in the aquatic environment.

**ECOTOXICOLOGICAL INFORMATION:** Contains components that are potentially toxic to freshwater and saltwater ecosystems.

**BIOACCUMULATION/ACCUMULATION:** Contains components with the potential to bio-accumulate.

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of in accordance with all local, state and federal regulations.

### 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** Not Regulated

**MARINE POLLUTANT #1:** None

### 15. REGULATORY INFORMATION

**UNITED STATES**

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No

**TSCA (TOXIC SUBSTANCE CONTROL ACT)**

| Chemical Name | CAS         |
|---------------|-------------|
| VM&P Naptha   | 008032-32-4 |

**CANADA**

**WHMIS HAZARD SYMBOL AND CLASSIFICATION**



Toxic

**EUROPEAN COMMUNITY**

**EEC LABEL SYMBOL AND CLASSIFICATION**



"Xn" - Harmful

### 16. OTHER INFORMATION

# MATERIAL SAFETY DATA SHEET



Date Issued: 11/13/2009  
 MSDS No: L-CB-330  
 Date Revised: 11/13/2009  
 Revision No: 4

## CONBOND C330 Water Based Contact Adhesive


**INFORMATION CONTACT:** (781) 878-7015

**REVISION SUMMARY:** Revision #: 4 This MSDS replaces the November 13, 2009 MSDS. Any changes in information are as follows: In Section 1 Comments

### HMIS RATING

|                             |   |
|-----------------------------|---|
| <b>HEALTH:</b>              | 1 |
| <b>FLAMMABILITY:</b>        | 0 |
| <b>PHYSICAL HAZARD:</b>     | 0 |
| <b>PERSONAL PROTECTION:</b> | B |

### NFPA CODES



**GENERAL STATEMENTS:** Keep out of reach of children

For professional or industrial use only

If you cannot read, or do not understand all directions, cautions, and warnings, do not use this product

For spray applications, use only with approved equipment

### MANUFACTURER DISCLAIMER:

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of ITW TACC. The data on this sheet relates only to the specific material designated herein. ITW TACC assumes no legal responsibility for use or reliance upon these data.